

**J & K State Agro Industries Development Corporation Limited
Agriculture Complex, Lalmandi, Srinagar, Kashmir**

T E N D E R N O T I C E

Subject: - Supply of various types of Agriculture Machinery equipments.

On behalf of J & K State Agro Industries Development Corporation Limited, sealed offers are invited from Registered Principal Manufacturers or their authorized dealers / depot holders having valid licence / registration for supply of various Agriculture Machinery Equipments on Annual Rate Contract basis. The documents containing detailed specifications alongwith terms and conditions can be obtained from our Delhi / Jammu / Srinagar offices against a payment of Rs. 1000/- or can also be downloaded from our website www.jkagro.com and cost of tender document shall be accompanied with D.D. in the name of J & K State Agro Industries Development Corporation Limited in case downloaded from website.

The tenders should reach on below office addresses along with CDR for Rs. 25,000/- (Rs. Twenty Five Thousand Only) pledged to J & K State Agro Industries Development Corporation Limited by or before 12th of September, 2017 upto 4 P.M.


The undersigned reserves the right to accept or reject any or all the tenders or part thereof without assigning the reasons thereof.

For further details, contact 9419068473 9,419187645, 098991023410, 0194-2310404, 0194-2311732.

Office Addresses: -

1. Divisional Manager, J&K State Agro Industries Development Corporation Limited, Agriculture Complex, Lalmandi, Srinagar.
2. Divisional Manager, J & K State Agro Industries Development Corporation Limited, House No. 07, Ramesh Market, Shastri Nagar, Jammu.
3. Divisional Manager, Cold Storage and Ice Plant, J & K State Agro Industries Development Corporation Limited, 13-14 Lawrence Road, New Delhi.

No: - Agro/P&S/2017-18/1509-11
Dated: 23-08-2017


Divisional Manager (P&S) Kashmir
(Member Secretary)

J & K State Agro Ind.
Dev. Corp. Ltd, Lalmandi, Srinagar

**J&K State Agro Industries Development Corpn. Ltd.
Agriculture Complex, Lalmandi, Srinagar, Kashmir.**

NIT No. Agro/P&S/2017-18//509-11

Dated: 23-08-2017

TECHNICAL SPECIFICATIONS

IRRIGATION PUMP SETS & SPECIFICATIONS

A	<p>Irrigation Pump Sets with Engine-4 Stroke side Valve. Air Cooled Spark Ignition all Aluminium Recoil Start Petrol Start, Kerosene Run Engine coupled with Self Priming Pump</p> <p>1) Cap. 3 HP Suc / Del- 3" x 3" – Discharge – 1000 ltrs / Min with 6 Mtr PVC Heavy Duty Suction Hose Pipe and without pipe.</p> <p>2) Capacity 2 HP, suction / delivery 2" discharge 600 Ltr. With 6 Mtr. PVC suction hose pipe and without pipe, 1.5 HP.</p> <p>3) Cap. 1.5 HP, Suc / Del-1.5" discharge-200 Ltrs. Both with 6 Mtrs. PVC Suction Hose Pipe Heavy duty. Tenderer can also quote the rate for other rating applicable for Irrigation purposes. ISI / FMT&TI Tested.</p>	Of reputed brands. Tenderer can also quote the rate for other rating applicable for Irrigation purposes
B	Solar Power operated Irrigation Pump Sets	Of different makes and capacities
C	All types of Diesel Engine Pump Sets suitable for Irrigation purposes in Agriculture Department / Horticulture Department, ISI Mark / FMT&TI tested	Different makes and capacities
d	All types of Electric Monoblock of Pump Sets suitable for Irrigation purposes in Agriculture Department, ISI Mark or FMT&TI Tested	Different makes and capacities

PLANT PROTECTION EQUIPMENT


A	<p>1) Manually operated foot sprayer</p> <p>2) Knapsack Sprayers</p> <p>3) Mist blower Power Sprayers, Battery operated</p> <p>4) Hand Sprayer</p> <p>5) Solar Power operated sprayers</p>	Different makes and capacities
---	--	--------------------------------



POWER DRIVEN IMPLEMENTS (TRACTOR DRIVEN IMPLEMENTS)

A	Seed-cum fertilizer drill	9 tines and 11 tines / 13 tines.
B	Disc Harrow / off set Harrow (Trailing type / Mounted type with heavy duty Disc)	12 Disc (6X6) of each disc. 14 Disc (7x7) of each disc. 16 Disc (8x8) of each disc
C	Disc Plough	2 Furrows and 3 Furrows
D	Power Driven strip drill	Of different capacity
E	Tiller Zero Till	9 tines, 11 tines and 13 tines complete with strut Assembly
F	Tractor trailer – 10' x 6' x 2'	With hydraulic system / without hydraulic system suitable for tyre size 9.00 x 20 and other suitable tyre sized with and without tyres Made of MS Sheet 10 SWG/12 SWG for body / sides
G	Land Leveller (Box Type)	6" – 7" – 8" u;lti purposes / reversible blade
H	Power Driven Strip till drill	Of different tines / capacity
I	Specialized Power Strip Till Drill	Of different tines / capacity
J	Paddy Pudller	6' – 7' – 8'
K	Modern Maize Sheller	Of different sizes and capacities
L	Paddy / Wheat Winnower	Different makes and capacities
M	Bio-Shredder / Bio Fertilizer Machine	Different makes and capacities
N	Thresher for Paddy and Wheat	Different makes and capacities with Motors and Tractor operated
O	Rotavator – 6 feet, 7 feet and 8 feet width	with 48 blades
P	Bed Planter / Lser Leveller	Of different sizes
Q	Potato Planter-2 Row / 4 Row	Fully automatic / semi automatic, tractor driven
R	Maize Sheller	Of different makes / capacities
S	Potato Digger – 2 Row / 4 Row	Different makes and capacities
T	<p>Fogging Machine Light, Medium and Heavy Duty Type</p> <ol style="list-style-type: none"> 1. Portable Heavy duty Fogging Machine, Auto Start, Thermal Aerosol Pulse, Jet Fogging Machine, Auto Start, Push button type, running on 12 Vold SMF battery – with suitable Charging Unit and additional Manual start by pump action, 1 litre Petrol tank, 5 litre chemical tank, 50,000 cuft per minute fogging capacity. 2. Portable Fogging Machine Manual Start Thermal Aerosol Pulse Jet Fogging Machine. Manual start by pump action, 1 litre Petrol tank, 5 litre chemical tank, 50,000 cuft per minute fogging capacity. 3. Heavy Duty Vehicle Mounted foging Machine. Max output 70 ltr / Hr. with Auto Start 	Different makes and capacities





POWER OPERATED (DIESEL OPERATED, ELECTRIC OPERATED, PETROL START KEROSENE RUN, PETROL RUN / MANUAL LAWN MOVER

A	Petrol operated self propelled rotary lawn mower with 3.5 – 4 HP (145-160 cc) of different width, height adjustment from 15 mm to 75 mm, 60 litre grass collection bag, 5 position central (Single Level) cutting height adjustment, single straight blade system.	Different makes and capacities
B	Petrol operated self propelled lawn mower with 6.5 (180-200 cc) HP Petrol Engine, 22 inches cutting width, height adjustment from 15 mm to 100 mm, 75 litre grass collection bag, 7 position central (single lever) cutting height adjustment, disc and swing blade system.	Different makes and capacities

BRUSH CUTTER (BACK PACK) WITH FAN NECK COMPLETE WITH OVERHEAD PROTECTION OF GLOVES

A	Petrol run 1.8 to 2.00 HP 04 blades having dia 150-280 mm or different capacity. Brush cutter, 40-45 cc 2 / 4 stroke petrol engine of standard make complete with trimmer head, 3 tooth blade, shoulder harness, safety glasses, gloves, tool kit etc.	Different makes and capacities
---	--	--------------------------------

Chain Saw


A	02 cycle engine bar length 35 cm petrol tank capacity 0.5 ltr or different capacity. Chain saw, 45-55 cc 2 / 4 stroke petrol engine of standard make etc with min 20 inches cutting bar and chain. Oregon chain and bar with walbro carburettor, complete safety glasses, gloves, tool kit.	Different makes and capacities
---	---	--------------------------------





A	<u>Ride on Lawn Mower</u>	
	Model 48 L22 AH OX 8A Electric Key start curring height, 1-4" oil capacity, 2.890 in (73.41 mm) Engine-22 HP 18" cut with Tool kit Ride on Mower Model 12 HP petrol engine, 30-32 inches cutting width, single lever height adjustment from 1 inch to 4.5 inch, side discharge and rear collection bag, straight blade system, self start, 5 forward and 1 reverse gears	Different makes and capacities
B	<u>Lawn Mower (Manual)</u>	
	Hand driven, horizontal with collection box blade 12", 14", 16", 18" & 20".	Different makes and capacities
C	<u>Hover Mover</u>	
	Petrol run, 3.8 to 4.0 HP 4 blade having Dia 150-280 mm, petrol run from 4.5 hp to 5.5 hp 4 stroke standard engine made by reputed companies 19 inches cutting width, zytel filled engine mounting and suitable for slopes upto 45 degrees cutting height from ½ inch to 3 inches. Deck made of high density UV and Chemical resistant Polyethylene and high impact plastic alloy impeller and SS blade	Different makes and capacities
D	<u>Hedge Share</u>	
	Standard Size manual hardened & tempered steel blades alongwith rust preventing coating	Different makes and capacities
E	<u>Pruning Saw</u>	
	Having folded handle, special teeth and safety lock of medium size	Different makes and capacities
F	<u>Lawn Mover Electric</u>	
	KW 1.1 HP 1.1 KPM, 1440 Volts 190-240 PH-1 HZ 50 start capacitor 200 WF 275V Run cap 10WF:440 V cord length 30 Mts. Lawn Mover, electric Rotary type with 1000 watts electric motor, 25 – 55 mm cutting height adjustment, 3 position cutting height adjustment, grass catcher, 30 metre electric cable	Different makes and capacities
	<u>Other Implements</u>	
A	Power Operated improvement implement	Different capacity and sizes
B	Manually operated implements / tool kits	Various sizes
C	Paddy Thrasher	Different capacity
D	Paddy Threshers cum Winnowers, Electric / Engine operated	of different makes and capacities
E	Paddy Threshers	Manual
F	Wheat Winnowers	Of Different Capacities
G	Combine Harvester	Of different capacity
H	Water Tanker, 3000 ltrs, 5000 ltrs, 2259 ltrs. Capacity	Of Different makes



I	Snow blower, 380 CC 4 stroke engine 12.5 HP with 4 forward and 2 reverse gears, 6 litre fuel tank, working width 32 inches, thickness 21 inches, working load 900 kgs, max throwing distance 14 metres, snow tires with chains and heated handle grips.	Of Different Makes and capacities
J	Tree Pruner, Telescopic Tree Pruner 24-26 cc 1 to 1.3 HP, 2 / 4 stroke petrol engine of standard make, with minimum 14 feet long telescopic pole and weight of not more than 10 kgs and SAW of minimum 10 inches with oil bath for lubrication	Of Different Makes
K	Hedge Trimmer, 23.26 cc 1 to 1.3 HP 2 / 4 stroke petrol engine of standard make with 550 mm double reciprocating tye cutting blade.	Of Different Makes
L	Earth Auger, Motor 52 cc, 2 stroke, drilling depth 70 cm	Of Different Makes
M	Chaff Cutter (Manual / Motorized / Electrical)	Of Different Makes



Divisional Manager (P&S) Kashmir
 (Member Secretary)
 J & K State Agro Ind.
 Dev. Corp. Ltd, Lalmandi, Srinagar



**J&K STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LTD.
LAL MANDI SRINAGAR.**

TERMS AND CONDITIONS TO

NIT NO. Agro/P&S/2017-18/1509-11 **Dated: - 23 -08-2017**

1. J & K Agro Industries Development Corporation Limited has been authorized by State Government as a agency to arrange and supply various Agriculture Machinery equipments and allied inputs for / to departments like Agriculture, Horticulture, Floriculture, Sericulture etc and beneficiaries under various subsidy schemes. In order to arrange these items, tenders are offered and should reach the office of the Managing Director, J&K State Agro Industries Development Corporation Limited, Lal Mandi, Srinagar by or before 12th of September, 2017 up to 4:00 P.M. by Hand / by Registered Post /by Courier Service affixed with Revenue Stamp of Rs. 5/= duly signed and stamped. Tenders brought by hand shall be put in tender box by the concerned tenderers on any working day during office hours up to the said date and time. In case of any Gazetted holiday falling on the last date of receipt of tenders or some holiday suddenly declared by the competent authority under negotiable instrument Act, the next working day shall be treated as last date of receipt of tenders.
2. The under mentioned documents/details must be submitted with the offer.
 - a) The offer should be accompanied with a CDR for Rs. 25,000.00 as E M D valid for two years.
 - b) Cost of Tender Documents of Rs.1,000.00 in the shape of DD if downloaded from our Website or C.R. of Corporation in case documents have been purchased from any of our office (Jammu-Delhi-Srinagar) may please be attached with offer.
 - c) Valid dealership Certificate from the Principal Manufacturer if the tenderers happen to be distributor/Depot Holder/dealer.
 - d) BIS Marking Certificate / Testing Certificate from the institutions approved by Ministry of Agriculture and Farmers Welfare, Government of India, for testing and certifying Agriculture Machinery and equipments.



- e) Location of workshop / after sale service Centres in J&K.
- f) Current price list of the Manufacturer.
- g) The Tender documents duly signed with seal on each page in token of acceptance of all terms and conditions of Tender should also be enclosed.
- h) Income tax and G.S.T. registration documents.

Note: In case the above mentioned documents are not enclosed the tender can be rejected as per the decision of the Purchase Committee.

1. The rates quoted by the firm should be only for branded items and BIS marked or duly tested by FMT & TI as per the guidelines of Ministry of Agriculture and Farmers Welfare, Govt. of India wherever is applicable. In case, the items do not qualify the requisite conditions, the rates shall not be considered.
2. The firm shall have to certify that the rates quoted by them are the lowest rates and has not quoted rates lower than these rates to any Govt. Deptt. /Agency in J&K State for the similar items / Stores. If at any stage it is proved that the prices charged by tenderer are higher than the prices quoted to other Departments or higher than the prevailing market rates in our State the tenderer shall be liable for prosecution under law and the excess amount charged thereof shall be recovered from your bill/securities etc.
3. The offers should be accompanied with a CDR for an amount of Rs. 25,000.00 drawn from any scheduled bank and pledged to J&K State Agro Industries Development Corporation Ltd. valid for two years.
4. In case the firm fails to supply ordered items, within the stipulated period, the CDR shall be forfeited and supplier shall have no claim for its refund / release in any manner. Besides, the firm shall be black-listed for future business with JK AIDCL. Further if the Corporation has to purchase the material from L2 or from the market at the higher rates, the difference shall be recovered from the outstanding payment of the L1 (approved supplier) and for remaining amount suit for recovery shall be filed.
5. Conditional offers shall not be entertained.



6. The rates quoted by the tenderers shall be F.O.R. Jammu / Srinagar at the District. / Block HQs of the concerned indenting department, inclusive of all taxes and transportation charges and loading and unloading. The rates quoted by the suppliers shall be protected with transparent tape and must be free from cuttings /over-writing etc.
7. **Validity of Rates:-** The rates quoted by the suppliers shall remain valid for one year from the date of acceptance of offers and thereafter shall be extended on mutual agreement.
8. Material before despatch shall be tested / checked by the Committee of officers of the Corporation at their stores before it is despatched to the Departments / Farmers etc. wherever testing is required, the testing charges shall be borne by the supplier.
9. The approved supplier shall have to provide following documents with the supplies;
 - (a) Engine No. and Chassis No. of the Machine
 - (b) Source Certificate that the material supplied has been sourced from the original manufacturer for J & K State Agro Industries Development Corporation Limited.
10. **Dealership Certificate:** The firms, if not Principal Manufacturer and submitting tenders, are required necessarily to attach a valid Dealership Certificate from Principal manufacturer.
11. **After Sale Service:**

The tenderer shall indicate the location of the Service Centre in the State for after sale Service besides, indicating the telephone Nos. of these Service Centres and Head Office of the supplying firms. The successful tenderer shall have to ensure the prompt service in case of any complaint received from any user, beneficiary or Department.
12. **Payments:**

Payments shall be released on verification of the supplies and receipt of the same from indenting Departments.
13. **Agreement:**

The successful firms shall have to execute an agreement in the prescribed format within seven days from the date of intimation to this effect/placement of supply order.



14. Performance Guarantee:

The supplier firm shall be responsible for satisfactory performance of the supplied items for a period of 12 months from the date of commissioning or 18 months from the date of dispatch of items whichever is earlier and shall submit the guarantee to this effect, to the Corporation. During the guaranteed period if any defect is found in the equipment or any part thereof which may be caused by bad workmanship, manufacturing defect, use of inferior material or otherwise or if it is in the opinion of the indenting Department or the user beneficiary or any repairs/replacements are required to be made to the equipment, the firm shall be liable to remove the defects/or conduct the repairs at their own cost and expenses within a period of 15 days (fifteen days) on the receipt of the notice from the Corporation or concerned Department. In the event of failure on the part of the firm to remove these defects or make good the repairs within the stipulated period, the purchaser may get the defects removed or carry repairs from any other agency and the cost of repair shall be recovered from the concerned supplier firm.

15. Operational Manual


The firm shall supply free of cost two sets of catalogues (operation and maintenance manual, including spare part catalogues) with each equipment.

16. Delivery schedule

The equipment complete with all required accessories shall have to be supplied by the firm duly inspected within 15 days or as per the terms of Supply Order. In case of delay in the supply beyond the stipulated time, penalty will be imposed not exceeding 10% of the value of the ordered material or Managing Director, AIDCL may deem fit and / or forfeit the Earnest Money / Security Deposit.

17. Security Deposit

The successful supplier firm is required to deposit an amount equivalent to 2% (two percent) of the total value of the supply order as Security Deposit in shape of CDR of any Scheduled Bank or Bank Guarantee of any Scheduled Bank within 7 days from the date of issue of order pledged to J & K State Agro Industries Dev. Corporation Limited, valid for 18 months.



18. Proof of Purchase

In case the supplier / firm happens to be Distributor / Dealer/ Depot Holder it shall be binding upon them to submit a certificate as "Proof of purchase from the Principal Manufacturer", for servicing of the current order. The Proof of Purchase shall be required to be attached with the bills raised for the supplies, made to the Corporation along with the Serial no. of the machine.

19. ARBITRATION

In case of dispute of any nature arising while servicing the ordered items, the matter shall be referred to the Managing Director, JK AIDCL whose decision as arbitrator shall be binding for the resolution of the dispute. In case the matter cannot be resolved further, in that situation, the legal institution / Courts of the J&K State shall be the alternative forum for dispute resolution.

20. Submission of offer

The complete offer shall reach in the office of the Managing Director, J&K State Agro Industries Development Corporation Ltd. Lal mandi, Srinagar before or on 12th of September, 2017 up to 4:00 P.M. by Post / Courier Service / By Hand. The tenders shall be opened on next day or any date convenient to the Purchase Committee at same office in presence of the tenderers who wish to be present.

21. Managing Director, AIDCL reserve the right to accept or reject any or all tenders in part or full without assigning any reason thereof.

22. As soon as the acceptance of tenders is conveyed to the successful firm the contract shall be final and binding upon the successful firm and agreement deed shall have to be executed with the Corporation by the supplier within 7 days from the date of issue of letter of acceptance.

23. The tenderer along with its offer must also submit a certified copy of its Income Tax, PAN and G.S.T. registration.

24. Tender without payment of tender cost shall be rejected.

25. The offer should be signed by the authorised person and his full name and status should be indicated below his signature.


26. The tender should be neatly written in ink with rates in figures & words. Cutting or over writing on quoted rates shall not be entertained unless authenticated Cello tape be applied of tender.



27. The tender should be accompanied with the Technical literature/Boucher/Pamphlets of the products.

28. Force Majeure:

If the completion of the supply is delayed by strikes lockouts fire accidents war or any other cause beyond the control of the supplier and the supplier satisfies the Corporation by a documentary proof in that respect, a reasonable extension in the time limit may be granted by the Corporation without effecting or decreasing/increasing the basic price as per force majeure clause of the agreement. However, damages caused due to strikes, rain or snow shall not constitute an act of God.



Divisional Manager (P&S) Kashmir
(Member Secretary)
J & K State Agro Ind.
Dev. Corp. Ltd, Lalmandi, Srinagar